CORNER LIGHT





Description

SWWACSCCF is simply a clean series of recessed fixtures are designed to be harmonious with the physical space of a room. Without any joist modification, these extrusions can be installed into new or existing 3/8" drywall/gypsum walls and ceilings.

Features

- Manufactured to custom sizes and wattage options.
- Recessed fixtures are designed to be harmonious with the physical space of any room.
- 14 Color Options.
- These extrusions can be installed into new or existing 3/8" drywall/gypsum walls and ceilings.

Model Number	Lumens	Size	Dimensions (in)	Wattage
SWWACSCCF1	3,900	1 FT + (Varies)	78 x 1.69 x 1.69	1.5W/ FT – 6.0 W / FT
SWWACSCCF2	5,200	1 FT + (Varies)	98 x 1.73 x 1.73	1.5W/ FT – 6.0 W / FT

AVAILABLE COLORS + COLORS TEMPERATURES



Static White
2400K, 2700K, 3000K, 3500K, 4100K, 6000K



Static Colors
Red, Amber, Green, Blue, UV

Variable White
Warm + Cool White



RGB Red+Green
+Blue



RGBW RGB+White



RGBA RGB+Amber

Warm Dim Dims Like
Incandescent

SC-CORNER 1 SPECIFICATIONS

Beam Angle	120°w;
Lens Type	Milky
Width	1.69 in (43 mm)
Height	1.69 in (43 mm)
Wattage	1.5 W/ FT, 2.2 W/ FT, 3.0 W/ FT, 4.4 W/ FT, 5.0 W/ FT, 5.2 W/ FT, 5.5 W/ FT, 6.0 W/ FT
Internal	--
Length	Available in 2 m / 6’6.7’’ and 2.5 m / 8’2.4’’, customized length below 6 m/19’8.2’’ upon your request



SC-CORNER 2 SPECIFICATIONS

Beam Angle	120°
Lens Type	Milky
Width	1.73 in (44 mm)
Height	1.73 in (44 mm)
Wattage	1.5 W/ FT, 2.2 W/ FT, 3.0 W/ FT, 4.4 W/ FT, 5.0 W/ FT, 5.2 W/ FT, 5.5 W/ FT, 6.0 W/ FT
Internal	0.55 in (14 mm)
Length	Available in 2 m / 6’6.7’’ and 2.5 m / 8’2.4’’, customized length below 6 m/19’8.2’’ upon your request